

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	4	("5052029"   "5408506"   "5566174"   "5633871").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/12/19 13:32
S1	5	"2006062195"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:28
S2	2	"20060062195"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:55
S3	39	(@rlad<"20030109" or @ad<"20030109") and wlan and time\$stamp and adjust	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 10:00
S4	0	(@rlad<"20030109" or @ad<"20030109") and wlan and time\$stamp and adjust and vxco	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:53
S5	0	(@rlad<"20030109" or @ad<"20030109") and wlan and time\$stamp and adjust and scr	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:56
S6	14	(@rlad<"20030109" or @ad<"20030109") and wlan and vxco	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 11:19
S7	32640	(@rlad<"20030109" or @ad<"20030109") and wlan and vxco scr	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:57
S8	0	(@rlad<"20030109" or @ad<"20030109") and wlan and vxco and scr	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:57

S9	10	(@riad<"20030109" or @ad<"20030109") and wlan and vxco and time and adjust	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:58
S10	0	(@riad<"20030109" or @ad<"20030109") and wlan and vxco and time\$stamp and adjust	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:58
S11	0	(@riad<"20030109" or @ad<"20030109") and wlan and vxco and (time near3 stamp) and adjust	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:59
S12	6	(@riad<"20030109" or @ad<"20030109") and wlan and vxco and time and adjust and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:59
S13	0	(@riad<"20030109" or @ad<"20030109") and wlan and time\$stamp and adjust and video and digit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 10:00
S14	28	(@riad<"20030109" or @ad<"20030109") and wlan and time\$stamp and adjust and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 10:00
S15	2	"20030172179"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/01/03 15:14
S16	423	(@riad<"20030109" or @ad<"20030109") and 370/345.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:53
S17	8	(@riad<"20030109" or @ad<"20030109") and 370/345.ccls. and vxco	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 16:53
S18	3	(@riad<"20030109" or @ad<"20030109") and wlan and ((previous or adjust) near5 time\$stamp) and beacon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:10
S19	6	(@riad<"20030109" or @ad<"20030109") and wlan and ((previous or adjust) with time\$stamp) and beacon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:10

S20	13	(@rlad<"20030109" or @ad<"20030109") and wlan and ((previous or adjust) with time\$stamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:10
S21	13	(@rlad<"20030109" or @ad<"20030109") and wlan and ((previous or adjust) with time\$stamp) and (access near3 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:11
S22	1	(@rlad<"20030109" or @ad<"20030109") and wlan and ((previous or adjust) with time\$stamp) and (access near3 point) and (video near5 transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:12
S23	1	(@rlad<"20030109" or @ad<"20030109") and wlan and ((previous or adjust) with time\$stamp) and (time near5 differen\$2) and (video near5 transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:26
S24	1	(@rlad<"20030109" or @ad<"20030109") and wlan and (previous near5 time \$stamp) and (time near5 differen\$2) and (video near5 transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:28
S25	1	(@rlad<"20030109" or @ad<"20030109") and wlan and (previous near5 time \$stamp) and (time adj5 differen\$2) and (video near5 transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:28
S26	1	(@rlad<"20030109" or @ad<"20030109") and wlan and ((previous or old or new or recent or adjust) near5 time\$stamp) and (tim\$3 adj5 differen\$2) and (video near5 transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:31
S27	1	(@rlad<"20030109" or @ad<"20030109") and wlan and ((previous or old or new or recent or adjust) with time \$stamp) and (tim\$3 adj5 differen\$2) and (video near5 transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:32
S28	7	(@rlad<"20030109" or @ad<"20030109") and wlan and ((previous or old or new or recent or adjust) with time \$stamp) and (tim\$3 adj5 differen\$2) and (access near5 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:32

S29	17	(@riad<"20030109" or @ad<"20030109") and wlan and ((previous or old or new or recent or adjust or local or received) with time \$stamp) and (tim\$3 adj5 differen\$2) and (access near5 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:35
S30	0	(@riad<"20030109" or @ad<"20030109") and wlan and ((previous or old or new or recent or adjust or local or received) with time \$stamp) and ((time near3 stamp) adj5 differen\$2) and (access near5 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:51
S31	8	(@riad<"20030109" or @ad<"20030109") and wlan and ((previous or old or new or recent or adjust or local or received) with time \$stamp) and ((time adj5 differen\$2) with transmi\$5) and (access near5 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:53
S32	8	(@riad<"20030109" or @ad<"20030109") and wlan and ((previous or old or new or recent or adjust or local or received) with time \$stamp) and ((time adj5 differen\$2) with transmi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:56
S33	16	(@riad<"20030109" or @ad<"20030109") and wlan and time\$stamp and ((time adj5 differen\$2) with transmi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:56
S34	80	(@riad<"20030109" or @ad<"20030109") and scr and vcxo	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 12:21
S35	1	(@riad<"20030109" or @ad<"20030109") and scr and vcxo and time\$stamp and (time near5 differen\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 12:22
S36	4855	(@riad<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 12:27

S37	313	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and set\$top	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 12:27
S38	96	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and set\$top and head\$end	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 12:28
S39	81	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and set\$top and head\$end and synchroni\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 12:28
S40	56	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and set\$top and head\$end and (tim\$3 near3 synchroni\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 12:28
S41	56	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and set\$top and head\$end and (tim\$3 near3 synchroni\$6) and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 12:29
S42	23	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and set\$top and head\$end and (tim\$3 near3 synchroni\$6) and (video near5 transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 12:29
S43	0	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and (tim&3 near5 (differen\$2 or offset)) and set \$top and head\$end and (tim \$3 near3 synchroni\$6) and (video near5 transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 14:01
S44	23	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time or timing) near5 (differen\$2 or offset)) and set\$top and head\$end and (tim\$3 near3 synchroni\$6) and (video near5 transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 14:02

S45	2	(@r!ad<"20030109" or @ad<"20030109") and time \$stamp and ((time or timing) near5 (offset) and set\$top and head\$end and (tim\$3 near3 synchroni\$6) and (video near5 transmission))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 14:02
S46	2	"20020049983"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/09 14:15
S47	0	("2002/0049983").URPN.	USPAT	OR	ON	2008/07/09 14:27
S48	0	("2002/0049983").URPN.	USPAT	OR	ON	2008/07/09 14:27
S49	53	("6490727").URPN.	USPAT	OR	ON	2008/07/09 14:27
S50	0	(@r!ad<"20030109" or @ad<"20030109") and time \$stamp and ((time or timing) near5 (differen\$2 or offset)) and set\$top and head\$end and (receiver near5 adjust) with (time near3 difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 15:37
S51	4	(@r!ad<"20030109" or @ad<"20030109") and time \$stamp and ((time or timing) near5 (differen\$2 or offset)) and set\$top and head\$end and (receiver with (time near3 difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 15:38
S52	22	(@r!ad<"20030109" or @ad<"20030109") and wlan and (time\$stamp with transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 19:04
S53	0	(@r!ad<"20030109" or @ad<"20030109") and wlan and (time\$stamp with video with transmission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 19:08
S54	0	(@r!ad<"20030109" or @ad<"20030109") and wlan and ((time near3 stamp) same (video near3 transmission))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 19:09
S55	20	(@r!ad<"20030109" or @ad<"20030109") and wlan and ((time near3 stamp) same transmission) and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 19:09

S56	62	(@riad<"20030109" or @ad<"20030109") and wlan and (time with transmission with video)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:58
S57	31	(@riad<"20030109" or @ad<"20030109") and wlan and ((time near5 transmission) with video)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:59
S58	122	(@riad<"20030109" or @ad<"20030109") and (time near5 stamp) with transmission with difference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 11:06
S59	51	(@riad<"20030109" or @ad<"20030109") and ((time near5 stamp) with transmission with difference) and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 11:06
S60	17	"5751721"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/06/29 14:18
S61	2	"20020098852"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/06/29 14:22
S62	754	(@riad<"20030109" or @ad<"20030109") and ((time adj5 difference) with transmission ) and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 15:10
S63	737	(@riad<"20030109" or @ad<"20030109") and ((time adj2 difference) near6 transmi\$5) and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 15:10
S64	16	(@riad<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and set\$top and ((time adj2 difference) near6 transmi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 15:11
S65	166	(@riad<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and ((time adj2 difference) near6 transmi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 15:16
S66	2	(@riad<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and ((time adj2 difference) near6 transmi\$5) with (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 15:17

S67	2	(@riad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) near6 transmi\$5) with (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 15:19
S68	3	(@riad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) near6 transmi\$5) same (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 15:19
S69	41	(@riad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) near6 transmi\$5) and (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 15:20
S70	41	(@riad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) near6 (broadcast transmi\$5))and (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 16:22
S71	0	(@riad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) near6 broadcast) and (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 16:23
S72	0	(@riad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) near6 broadcast) and (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 16:23
S73	0	(@riad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) with broadcast) and (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 16:23
S74	23	(@riad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) with (communicat\$3 broadcast)) and (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 16:24
S76	4	(@riad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) with send) and (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 16:26
S77	7	(@riad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 (offset difference)) with broadcast) and (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 18:38



S78	7	(@riad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) near6 transmi\$5) and (time adj2 base) and (370/503.ccls. or "725"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:59
S79	62	(@riad<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and set\$top and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 11:00
S80	1026	(@riad<"20030109" or @ad<"20030109") and (time stamp) with (offset differen\$2) with transmi\$5 with wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:01
S81	763	(@riad<"20030109" or @ad<"20030109") and ((time stamp) near6 (relative offset differen\$2)) with transmi\$5 with wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:03
S82	634	(@riad<"20030109" or @ad<"20030109") and ((time stamp) near3 (relative offset differen\$2)) with transmi\$5 with wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:03
S83	0	(@riad<"20030109" or @ad<"20030109") and ((time stamp) near3 (relative offset differen\$2)) with (to adj3 transmi\$5) with wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:04
S84	0	(@riad<"20030109" or @ad<"20030109") and ((time stamp) with (relative offset differen\$2)) with (to adj3 transmi\$5) with wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:04
S85	78	(@riad<"20030109" or @ad<"20030109") and ((time stamp) near3 (relative offset differen\$2)) with (wireless near3 receive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:05
S86	2	(@riad<"20030109" or @ad<"20030109") and ((time stamp) near3 (relative offset differen\$2)) with (wireless near3 receive) and (video with (time stamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:07

S87	4	(@rlad<"20030109" or @ad<"20030109") and ((time stamp) with (relative offset differen\$2)) with (wireless near3 receive) and (video with (time stamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:08
S88	39633	(@rlad<"20030109" or @ad<"20030109") and ((time stamp) with (relative offset differen\$2)) and (video with (time stamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:10
S89	0	(@rlad<"20030109" or @ad<"20030109") and ((time stamp) with (relative offset differen\$2)) and ((video data) with (time&stamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:11
S90	0	(@rlad<"20030109" or @ad<"20030109") and ((time stamp) with (relative offset differen\$2)) and ((video data frame) with (time&stamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:11
S91	265706	(@rlad<"20030109" or @ad<"20030109") and ((time stamp) with (relative offset differen\$2)) and ((video data frame) with (time stamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:11
S92	14519	(@rlad<"20030109" or @ad<"20030109") and ((video data frame) with (time adj3 stamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:12
S93	1107	(@rlad<"20030109" or @ad<"20030109") and ((video data frame) with (time adj3 stamp)) same (time with (offset difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:12
S94	839	(@rlad<"20030109" or @ad<"20030109") and (((video data frame) with (time adj3 stamp)) with (time with (offset difference)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:13
S95	190	(@rlad<"20030109" or @ad<"20030109") and ((video data frame) with (time adj3 stamp) with (time with (offset difference)) with (incoming input receiv\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:16

S96	48	((@rlad<"20030109" or @ad<"20030109") and ((video data frame) with (time adj3 stamp) with (time with (offset difference)) with (incoming input receiv\$3)) and ((send transmit communicate) with (offset difference)with (transmi\$4 output))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:17
S97	48	((@rlad<"20030109" or @ad<"20030109") and ((video data frame) with (time adj3 stamp) with (time with (offset difference)) with (incoming input receiv\$3)) and ((send transmit communicate) with (offset difference) with (transmi\$4 output))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:17
S98	7	((@rlad<"20030109" or @ad<"20030109") and ((video data frame) with (time adj3 stamp) with (time with (offset difference)) with (incoming input receiv\$3)) and ((send transmit communicate) with (offset difference) with (transmi\$4 output) with adjust\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:21
S99	7	"2004008661"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:09
S100	4	"2004008661"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:11
S101	25	((@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) with (send communicat\$3 broadcast)) and (time adj2 base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 16:09
S102	128	(subtract\$3 difference) near4 (time adj stamps timestamps) and (increas\$3 decreas\$3 adjust\$3) near4 (timing rate clock\$1 time adj base) near7 (transmit\$4 transmission\$1 send\$3) and (@rlad<"20030109" @ad<"20030109") and "370"/\$.cds.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/06/20 13:26

S103	1	"20060165129"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/12/09 15:05
S104	1	("2006/0165129").URPN.	USPAT	OR	ON	2010/12/09 15:28
S105	18	("20030035374"   "20030193619"   "20040098748"   "20040102942"   "20040151382"   "20040193762"   "20040267956"   "20050254427"   "20060165129"   "5565924"   "5640388"   "5703793"   "5881245"   "5999226"   "6292834"   "6570872"   "6904045"   "6937770").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/12/09 15:36
S106	11	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) with (send communicat\$3 broadcast) with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/09 16:17
S107	0	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) with (send communicat\$3 broadcast) with server) andaptive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/09 16:18
S108	0	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) with (send communicat\$3 broadcast) with server) and adaptive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/09 16:18
S109	18	("20030035374"   "20030193619"   "20040098748"   "20040102942"   "20040151382"   "20040193762"   "20040267956"   "20050254427"   "20060165129"   "5565924"   "5640388"   "5703793"   "5881245"   "5999226"   "6292834"   "6570872"   "6904045"   "6937770").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/12/09 16:30
S110	21	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) with (send communicat\$3 broadcast)) and adaptati\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/09 16:48

S111	0	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) with (send communicat\$3 broadcast)) and (rate adj adaptati\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/09 16:49
S112	0	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and ((time adj2 difference) with (send communicat\$3 broadcast)) and (rate adj (shift adaptati \$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/09 16:49
S113	3	(@rlad<"20030109" or @ad<"20030109") and (time \$stamp with difference with previous) and ((send communicat\$3 broadcast) with difference with transmi \$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/09 17:01
S114	134	((subtract\$3 difference) near4 (time adj stamps timestamps) and (increas\$3 decreas\$3 adjust\$3) near4 (timing rate clock\$1 time adj base) near7 (transmit\$4 transmission\$1 send\$3) and (@rlad<"20030109" @ad<"20030109") and "370"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/09 17:32
S115	0	((subtract\$3 difference) near4 (time adj stamps timestamps) and (increas\$3 decreas\$3 adjust\$3) near4 (timing rate clock\$1 time adj base) near7 (transmit\$4 transmission\$1 send\$3) and (@rlad<"20030109" @ad<"20030109") and "370"/\$.ccls. and (message with to with transmitter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/09 17:34
S116	0	((subtract\$3 difference) near4 (time adj stamps timestamps) and (increas\$3 decreas\$3 adjust\$3) near4 (timing rate clock\$1 time adj base) near7 (transmit\$4 transmission\$1 send\$3) and (@rlad<"20030109" @ad<"20030109") and "370"/\$.ccls. and (message with to with (transmit\$4 transmission\$1 send\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/09 17:34

S117	0	(@r1ad<"20030109" @ad<"20030109") and "370"/\$.ccls. and (message with to with (transmit\$4 transmission\$1 send\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/09 17:34
S118	4	(@r1ad<"20030109" @ad<"20030109") and (message with to with (transmit\$4 transmission\$1 send\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/09 17:35
S119	0	(subtract\$3 difference) near4 (time adj stamps timestamps) and (increas\$3 decreas\$3 adjust\$3) near4 (timing rate clock\$1 time adj base) near7 (transmit\$4 transmission\$1 send\$3) and (@r1ad<"20030109" @ad<"20030109") and (message with to with transmitter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/09 17:35
S120	0	(@r1ad<"20030109" @ad<"20030109") and (message with to with (transmit\$4 transmission\$1 send\$3)) with time with difference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/09 17:35
S121	141	(@r1ad<"20030109" @ad<"20030109") and "370"/\$.ccls. and ((message adj "5" to) with (transmit\$4 transmission\$1 send\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/09 17:41
S122	0	(@r1ad<"20030109" @ad<"20030109") and "370"/\$.ccls. and ((message adj 3 to) with (transmit\$4 transmission\$1 send\$3)with (time adj2 difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/09 17:41
S123	7	(subtract\$3 difference) near4 (receiv\$3 with (time adj (stamps timestamps))) and (increas\$3 decreas\$3 adjust\$3) near4 (timing rate clock\$1 time adj base) near7 (transmit\$4 transmission\$1 send\$3) and (@r1ad<"20030109" @ad<"20030109") and "370"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/09 20:28
S124	349	(@r1ad<"20030109" @ad<"20030109") and (adjust adj4 (transmit\$4 transmission\$1 send\$3)with clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/10 02:44

S125	2	(@riad<"20030109" @ad<"20030109") and (adjust adj4 (transmit\$4 transmission\$1 send\$3)with clock) same (control\$3 adj4 receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/10 02:45
S126	2	(@riad<"20030109" @ad<"20030109") and (adjust adj4 (transmit\$4 transmission\$1 send\$3) with clock) same (control\$3 adj4 receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/10 02:45
S127	61	(@riad<"20030109" @ad<"20030109") and (adjust adj4 (transmit\$4 transmission\$1 send\$3) with clock) and (control\$3 adj4 receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/10 02:49
S128	0	(@riad<"20030109" @ad<"20030109") and (adjust adj4 (transmit\$4 transmission\$1 send\$3) with clock) and (control\$3 adj4 receiver) and time\$stamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/10 02:49
S129	112	(@riad<"20030109" @ad<"20030109") and (adjust adj4 (transmit\$4 transmission\$1 send\$3)) with message with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/10 02:54
S130	4	(@riad<"20030109" @ad<"20030109") and (adjust adj4 (transmit\$4 transmission\$1 send\$3)) with (message adj3 receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/10 02:54
S131	6	"5493832"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/10 02:58
S132	21	"6493832"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/10 02:59
S133	1	(@riad<"20030109" @ad<"20030109") and (transmit\$4 transmission\$1 send\$3) with receiv\$3 adj3 message adj3 time adj3 difference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/10 03:03
S134	2	"20040193762"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/12/10 03:14

S135	123	(@rlad<"20030109" @ad<"20030109") and (message adj4 (transmit\$4 transmission\$1 send\$3) with (time adj2 difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/10 03:23
S136	0	(@rlad<"20030109" @ad<"20030109") and (message adj4 "to" adj3 (transmit\$4 transmission\$1 send\$3) with (time adj2 difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/10 03:23
S137	0	(@rlad<"20030109" @ad<"20030109") and ((message adj4 "to") with (transmit\$4 transmission\$1 send\$3) with (time adj2 difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/10 03:23
S138	301	(@rlad<"20030109" @ad<"20030109") and (message near5 (time adj2 difference)) same (transmit \$4 transmission\$1 send\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/10 03:24
S139	232	(@rlad<"20030109" @ad<"20030109") and (message near5 (time adj2 difference)) with (transmit\$4 transmission\$1 send\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/10 03:24
S140	12	(@rlad<"20030109" @ad<"20030109") and (message near5 (time adj2 difference)) with (transmit\$4 transmission\$1 send\$3) and time\$stamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/10 03:25
S141	7	(@rlad<"20030109" @ad<"20030109") and (message near5 (time adj2 difference)) with (transmit\$4 transmission\$1 send\$3) and (370/503,509.ccls. 713/400. ccls. 725/147.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/19 12:47
S142	11	(@rlad<"20030109" or @ad<"20030109") and time \$stamp and (time near5 differen\$2) and set\$top and (370/503,509.ccls. 713/400. ccls. 725/147.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/19 12:47
S143	16	(@rlad<"20030109" or @ad<"20030109") and (((time stamp) near3 (relative offset differen\$2)) with transmi\$5 with wireless) and (370/503,509. ccls. 713/400.ccls. 725/147. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/19 12:48



S144	7	(@rlad<"20030109" @ad<"20030109") and (message adj4 (transmit\$4 transmission\$1 send\$3) with (time adj2 difference)) and (370/503,509.ccls. 713/400. ccls. 725/147.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/19 12:48
------	---	---	---	----	----	---------------------

## EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S145	0	(@rlad<"20030109" @ad<"20030109") and "receiving a time stamp indicating a time of a video transmission"	USPAT; UPAD	OR	ON	2010/12/19 13:00
S146	0	(@rlad<"20030109" @ad<"20030109") and "determining a relative time difference "	USPAT; UPAD	OR	ON	2010/12/19 13:01
S147	0	(@rlad<"20030109" @ad<"20030109") and "communicating the relative time difference to a transmitter"	USPAT; UPAD	OR	ON	2010/12/19 13:01
S148	0	(@rlad<"20030109" @ad<"20030109") and "transmitter to adjust the time base according to the relative time difference"	USPAT; UPAD	OR	ON	2010/12/19 13:02
S149	0	(@rlad<"20030109" @ad<"20030109") and ((transmitter adj3 adjust\$3 adj time) with (relative adj3 time adj3 difference)).clm.	USPAT; UPAD	OR	ON	2010/12/19 13:06
S150	0	(@rlad<"20030109" @ad<"20030109") and (((communicating adj3 relative adj3 time adj3 difference) with transmitter).clm.	USPAT; UPAD	OR	ON	2010/12/19 13:07

12/ 19/ 2010 1:39:23 PM

C:\Documents and Settings\ schan1\ My Documents\ EAST\ Workspaces\ 10541764 sync with  
 beacon packet.wsp